



ELSEVIER

Clinica Chimica Acta 282 (1999) 233–235



Author index

Volume 282 (1999)

- Aisaka, Y., see Asada, N. **282**, 197
Akiyama, T., see Imoto, M. **282**, 77
Amin, M., Eckhardt, T., Kapitzka, S., Fleckenstein, B., Jung, G., Seissler, J., Weichert, H., Richter, T., Stern, M., Mothes, T., Correlation between tissue transglutaminase antibodies and endomysium antibodies as diagnostic markers of coeliac disease **282**, 219
Asada, N., Kitamoto, M., Aisaka, Y., Kawamura, H., Nakanishi, T., Kajiyama, G., Horie, Y., Recovery from acute cholestasis associated with erythropoietic protoporphyria treated by antibiotics **282**, 197
Astles, J.R., see Lipman, H.B. **282**, 15
Bousquet, B., see Le Bricon, T. **282**, 101
Bowers, B., see Jones, F.I. **282**, 125
Brguljan, P.M., see Cimerman, N. **282**, 211
Caputo, M., see Dorizzi, R.M. **282**, 175
Cimerman, N., Brguljan, P.M., Krašovec, M., Šuškovič, S., Kos, J., Circadian characteristics of cathepsins B, H, L, and stefins A and B, potential markers for disease, in normal sera **282**, 211
Contois, J.H., Gillmor, R.G., Moore, R.E., Contois, L.-R.W., Macer, J.L., Wu, A.H.B., Quantitative determination of cholesterol in lipoprotein fractions by electrophoresis **282**, 1
Contois, L.-R.W., see Contois, J.H. **282**, 1
Dewitte, K., Stöckl, D., Thienpont, L.M., Measurement of serum sodium and potassium with direct ion-selective electrode systems **282**, 227
Dorizzi, R.M., Senna, G., Caputo, M., Likelihood ratios and Fagan's nomogram: valuable but underrated tools for in vitro latex sensitization assessment **282**, 175
Doss, M.O., see Kühnel, A. **282**, 45
Eckhardt, T., see Amin, M. **282**, 219
Fintor, L., see Nagy, B. **282**, 147
Fleckenstein, B., see Amin, M. **282**, 219
Flock, B., see Mayatepek, E. **282**, 151
Fogarty, D.G., see Woodside, J.V. **282**, 157
Fryer, A.A., see Jones, F.I. **282**, 125
Fuchs, D., see Ledochowski, M. **282**, 115
Furuta, I., see Imoto, M. **282**, 77
Garnier, J.-P., see Le Bricon, T. **282**, 101
Gillmor, R.G., see Contois, J.H. **282**, 1
Groß, U., see Kühnel, A. **282**, 45
Guibal, F., see Le Bricon, T. **282**, 101
Hagen, T., Korson, M.S., Quantification of glutaric acid by isotope dilution mass spectrometry for patients with glutaric acidemia type I: selected ion monitoring vs. selected ion storage **282**, 185
Hartmann, W., see Kluge, H.H. **282**, 135
Hilgertová, J., see Škrha, J. **282**, 167
Horie, Y., see Asada, N. **282**, 197
Horiuchi, A., see Imoto, M. **282**, 77
Imoto, M., Ishikawa, K., Yamamoto, K., Sinohara, H., Irimajiri, K., Kubo, N., Sakurabayashi, I., Horiuchi, A., Akiyama, T., Ohba, Y., Furuta, I., Occurrence of heavy chain of 7S IgM half-molecule whose NH₂-terminal sequence is identical with that of κ light chain sequence in patients with Waldenstrom macroglobulinemia **282**, 77

- Irimajiri, K., see Imoto, M. **282**, 77
Ishikawa, K., see Imoto, M. **282**, 77
Ishizu, H., see Kitao, T. **282**, 203
- Jacob, K., see Kühnel, A. **282**, 45
Jones, F.I., Ramachandran, S., Lear, J., Smith, A., Bowers, B., Ollier, W.E.R., Jones, P., Fryer, A.A., Strange, R.C., The melanocyte stimulating hormone receptor polymorphism: association of the V92M and A294H alleles with basal cell carcinoma **282**, 125
Jones, P., see Jones, F.I. **282**, 125
Jung, G., see Amin, M. **282**, 219
- Kajiyama, G., see Asada, N. **282**, 197
Kapitza, S., see Amin, M. **282**, 219
Karádi, I., see Nagy, B. **282**, 147
Kawamura, H., see Asada, N. **282**, 197
Kitamoto, M., see Asada, N. **282**, 197
Kitao, T., Miyaishi, S., Ishizu, H., Effects of pH and urea on the determination of urinary myoglobin concentration by an enzyme immunoassay **282**, 203
Kluge, H.H., Kluge, W.H., Hartmann, W., An inhibitor-free assay of acetylcholinesterase and butyrylcholinesterase in the cerebrospinal fluid **282**, 135
Kluge, W.H., see Kluge, H.H. **282**, 135
Kodama, H., see Zhang, J. **282**, 89
Korson, M.S., see Hagen, T. **282**, 185
Kos, J., see Cimerman, N. **282**, 211
Krašovec, M., see Cimerman, N. **282**, 211
Kubo, N., see Imoto, M. **282**, 77
Kühnel, A., Groß, U., Jacob, K., Doss, M.O., Studies on coproporphyrin isomers in urine and feces in the porphyrias **282**, 45
- Le Bricon, T., Stoitchkov, K., Letellier, S., Guibal, F., Spy, J., Garnier, J.-P., Bousquet, B., Simultaneous analysis of tyrosinase mRNA and markers of tyrosinase activity in the blood of patients with metastatic melanoma **282**, 101
Lear, J., see Jones, F.I. **282**, 125
Ledochowski, M., Murr, C., Widner, B., Fuchs, D., Association between insulin resistance, body mass and neopterin concentrations **282**, 115
Letellier, S., see Le Bricon, T. **282**, 101
Lightbody, J.H., see Woodside, J.V. **282**, 157
Lipman, H.B., Astles, J.R., Estimating the linear analytic range **282**, 15
Loughrey, C.M., see Woodside, J.V. **282**, 157
- Macer, J.L., see Contois, J.H. **282**, 1
Makino, T., A simple and sensitive colorimetric assay of zinc in serum using cationic porphyrin **282**, 65
Martella, M., see Murgia, A. **282**, 229
Maxwell, A.P., see Woodside, J.V. **282**, 157
Mayatepek, E., Flock, B., Increased urinary excretion of LTB₄ and ω -carboxy-LTB₄ in patients with Zellweger syndrome **282**, 151
Miyaishi, S., see Kitao, T. **282**, 203
Moore, R.E., see Contois, J.H. **282**, 1
Mothes, T., see Amin, M. **282**, 219
Murgia, A., Polli, R., Martella, M., Vinanzi, C., Opocher, G., Corrigendum to "Molecular diagnosis of inherited diseases". [Clinica Chimica Acta 280 (1999) 73-80] **282**, 229
Murr, C., see Ledochowski, M. **282**, 115
- Nagy, B., Karádi, I., Fintor, L., Rigó Jr, J., Romics, L., Papp, Z., Apolipoprotein E gene polymorphism frequencies in a sample of healthy Hungarians **282**, 147
Nakanishi, T., see Asada, N. **282**, 197
- Ohba, Y., see Imoto, M. **282**, 77
Olczak, M., Olczak, T., Oligosaccharides released by hydrazinolysis from Tamm-Horsfall protein of various human donors contain similar high-mannose glycans **282**, 35
Olczak, T., see Olczak, M. **282**, 35
Ollier, W.E.R., see Jones, F.I. **282**, 125
Opocher, G., see Murgia, A. **282**, 229
- Papp, Z., see Nagy, B. **282**, 147
Polli, R., see Murgia, A. **282**, 229
- Rainwater, D.L., Stability of apolipoprotein(a) isoform phenotype to postmortem conditions **282**, 59
Ramachandran, S., see Jones, F.I. **282**, 125
Richter, T., see Amin, M. **282**, 219
Rigó Jr, J., see Nagy, B. **282**, 147
Romics, L., see Nagy, B. **282**, 147
- Sakurabayashi, I., see Imoto, M. **282**, 77
Seissler, J., see Amin, M. **282**, 219
Senna, G., see Dorizzi, R.M. **282**, 175
Seto, K., see Zhang, J. **282**, 89
Sinohara, H., see Imoto, M. **282**, 77
Škrha, J., Hilgertová, J., Relationship of serum N-acetyl- β -glucosaminidase activity to oxidative stress in diabetes mellitus **282**, 167
Smith, A., see Jones, F.I. **282**, 125
Spy, J., see Le Bricon, T. **282**, 101
Stern, M., see Amin, M. **282**, 219
Stöckl, D., see Dewitte, K. **282**, 227

- Stoitchkov, K., see Le Bricon, T. **282**, 101
 Strange, R.C., see Jones, F.I. **282**, 125
 Sugahara, K., see Zhang, J. **282**, 89
 Šuškovič, S., see Cimerman, N. **282**, 211

 Thienpont, L.M., see Dewitte, K. **282**, 227

 Ushikoshi, I., see Zhang, J. **282**, 89
 Ushikoshi, S., see Zhang, J. **282**, 89

 Vinanzi, C., see Murgia, A. **282**, 229

 Weichert, H., see Amin, M. **282**, 219
 Widner, B., see Ledochowski, M. **282**, 115
 Woodside, J.V., Fogarty, D.G., Lightbody, J.H.,
 Loughrey, C.M., Yarnell, J.W.G., Maxwell, A.P.,
 Young, I.S., Homocysteine and B-group vita-
 mins in renal transplant patients **282**, 157
 Wu, A.H.B., see Contois, J.H. **282**, 1

 Yamamoto, K., see Imoto, M. **282**, 77
 Yarnell, J.W.G., see Woodside, J.V. **282**, 157
 Young, I.S., see Woodside, J.V. **282**, 157

 Zhang, J., Sugahara, K., Ushikoshi, I., Ushikoshi,
 S., Seto, K., Kodama, H., Effect of water
 extracts of *Rhizopus delemar* on the stimulus
 coupled responses of neutrophils and their
 modulation by various protein kinase
 inhibitors **282**, 89

Subject index

Volume 282 (1999)

A294H; Melanocyte stimulating hormone receptor; Allele; Susceptibility; Basal cell carcinoma; V92M **282**, 125

Acetylcholinesterase; Butyrylcholinesterase; Cerebrospinal fluid; Inhibitor-free test **282**, 135

Acute hepatic porphyrias; Urinary and fecal coproporphyrin isomers I–IV; Differential diagnosis; Erythropoietic porphyrias; Chronic hepatic porphyrias; Ion-pair high-performance liquid chromatography (HPLC) **282**, 45

Allele; Melanocyte stimulating hormone receptor; Susceptibility; Basal cell carcinoma; V92M; A294H **282**, 125

Antibiotics; Porphyria; Erythropoietic protoporphyria; Cholestasis; Treatment; Sepsis; Infection **282**, 197

Apo(a); Postmortem; Lp(a); Protein degradation **282**, 59

Apolipoprotein E; Polymerase chain reaction; Restriction length polymorphism; Gene polymorphism **282**, 147

Basal cell carcinoma; Melanocyte stimulating hormone receptor; Allele; Susceptibility; V92M; A294H **282**, 125

Body mass; Non-insulin-dependent diabetes mellitus; Insulin resistance; Tumor necrosis factor- α ; Interferon- γ ; Neopterin **282**, 115

Butyrylcholinesterase; Acetylcholinesterase; Cerebrospinal fluid; Inhibitor-free test **282**, 135

Cathepsins B, H, L; Stefins A, B; Serum levels; 24-h variations **282**, 211

Cerebrospinal fluid; Acetylcholinesterase; Butyrylcholinesterase; Inhibitor-free test **282**, 135

Cholestasis; Porphyria; Erythropoietic protoporphyria; Treatment; Antibiotics; Sepsis; Infection **282**, 197

Cholesterol; Lipoprotein electrophoresis; Very low density lipoproteins; Low density lipoproteins; High density lipoproteins; Lipoprotein(a) **282**, 1

Chronic hepatic porphyrias; Urinary and fecal coproporphyrin isomers I–IV; Differential diagnosis; Erythropoietic porphyrias; Acute hepatic porphyrias; Ion-pair high-performance liquid chromatography (HPLC) **282**, 45

Cobalamin; Renal transplant patients; Homocysteine; Folate **282**, 157

Coeliac disease; Tissue transglutaminase; Endomysium antibodies **282**, 219

Colorimetry; Serum zinc; Porphyrin reagent; Highly sensitive method; Trace analysis **282**, 65

Correlation; Linear range; Regression; Estimation; Monte Carlo method **282**, 15

- Diabetes mellitus**; N-acetyl- β -glucosaminidase; Oxidative stress **282**, 167
- Differential diagnosis**; Urinary and fecal coproporphyrin isomers I-IV; Erythropoietic porphyrias; Acute hepatic porphyrias; Chronic hepatic porphyrias; Ion-pair high-performance liquid chromatography (HPLC) **282**, 45
- Direct ISE**; Sodium; Potassium; Reference method; Serum; Standardization **282**, 227
- L-DOPA**; Tyrosinase; RT-PCR; Melanoma; Metastases **282**, 101
- Endomysium antibodies**; Tissue transglutaminase; Celiac disease **282**, 219
- Enzyme immunoassay**; pH; Urea; Myoglobin **282**, 203
- Erythropoietic porphyrias**; Urinary and fecal coproporphyrin isomers I-IV; Differential diagnosis; Acute hepatic porphyrias; Chronic hepatic porphyrias; Ion-pair high-performance liquid chromatography (HPLC) **282**, 45
- Erythropoietic protoporphyria**; Porphyria; Cholestasis; Treatment; Antibiotics; Sepsis; Infection **282**, 197
- Estimation**; Linear range; Regression; Correlation; Monte Carlo method **282**, 15
- Evidence-based medicine**; Latex allergy; ROC analysis **282**, 175
- Folate**; Renal transplant patients; Homocysteine; Cobalamin **282**, 157
- GC-MS**; Selected ion monitoring; Selected ion storage; Glutaric acid **282**, 185
- Gene polymorphism**; Polymerase chain reaction; Restriction length polymorphism; Apolipoprotein E **282**, 147
- Glutaric acid**; GC-MS; Selected ion monitoring; Selected ion storage **282**, 185
- N-glycans**; Tamm-Horsfall protein; High-mannose glycans; Kidney **282**, 35
- Half-molecule 7S IgM(HM 7S IgM)**; Waldenstrom macroglobulinemia; NH₂-terminal amino acid sequence **282**, 77
- High density lipoproteins**; Cholesterol; Lipoprotein electrophoresis; Very low density lipoproteins; Low density lipoproteins; Lipoprotein(a) **282**, 1
- High-mannose glycans**; Tamm-Horsfall protein; N-glycans; Kidney **282**, 35
- Highly sensitive method**; Serum zinc; Porphyrin reagent; Colorimetry; Trace analysis **282**, 65
- Homocysteine**; Renal transplant patients; Folate; Cobalamin **282**, 157
- Infection**; Porphyria; Erythropoietic protoporphyria; Cholestasis; Treatment; Antibiotics; Sepsis **282**, 197
- Inhibitor-free test**; Acetylcholinesterase; Butyrylcholinesterase; Cerebrospinal fluid **282**, 135
- Insulin resistance**; Non-insulin-dependent diabetes mellitus; Tumor necrosis factor- α ; Interferon- γ ; Neopterin; Body mass **282**, 115
- Interferon- γ** ; Non-insulin-dependent diabetes mellitus; Insulin resistance; Tumor necrosis factor- α ; Neopterin; Body mass **282**, 115
- Ion-pair high-performance liquid chromatography (HPLC)**; Urinary and fecal coproporphyrin isomers I-IV; Differential diagnosis; Erythropoietic porphyrias; Acute hepatic porphyrias; Chronic hepatic porphyrias **282**, 45
- Kidney**; Tamm-Horsfall protein; High-mannose glycans; N-glycans **282**, 35
- Latex allergy**; Evidence-based medicine; ROC analysis **282**, 175
- Leukotrienes**; Long-chain acyl CoA dehydrogenase deficiency; Mitochondria; Peroxisomes; Zellweger syndrome **282**, 151
- Linear range**; Regression; Correlation; Estimation; Monte Carlo method **282**, 15
- Lipoprotein electrophoresis**; Cholesterol; Very low density lipoproteins; Low density lipoproteins; High density lipoproteins; Lipoprotein(a) **282**, 1

- Lipoprotein(a)**; Cholesterol; Lipoprotein electrophoresis; Very low density lipoproteins; Low density lipoproteins; High density lipoproteins **282, 1**
- Long-chain acyl CoA dehydrogenase deficiency**; Leukotrienes; Mitochondria; Peroxisomes; Zellweger syndrome **282, 151**
- Low density lipoproteins**; Cholesterol; Lipoprotein electrophoresis; Very low density lipoproteins; High density lipoproteins; Lipoprotein(a) **282, 1**
- Lp(a)**; Postmortem; Apo(a); Protein degradation **282, 59**
- Melanocyte stimulating hormone receptor**; Allele; Susceptibility; Basal cell carcinoma; V92M; A294H **282, 125**
- Melanoma**; Tyrosinase; RT-PCR; L-DOPA; Metastases **282, 101**
- Metastases**; Tyrosinase; RT-PCR; L-DOPA; Melanoma **282, 101**
- Mitochondria**; Leukotrienes; Long-chain acyl CoA dehydrogenase deficiency; Peroxisomes; Zellweger syndrome **282, 151**
- Monte Carlo method**; Linear range; Regression; Correlation; Estimation **282, 15**
- Myoglobin**; Enzyme immunoassay; pH; Urea **282, 203**
- N-acetyl- β -glucosaminidase**; Oxidative stress; Diabetes mellitus **282, 167**
- NH₂-terminal amino acid sequence**; Half-molecule 7S IgM(HM 7S IgM); Waldenstrom macroglobulinemia **282, 77**
- Neopterin**; Non-insulin-dependent diabetes mellitus; Insulin resistance; Tumor necrosis factor- α ; Interferon- γ ; Body mass **282, 115**
- Neutrophil**; *Rhizopus deleamar*; Superoxide **282, 89**
- Non-insulin-dependent diabetes mellitus**; Insulin resistance; Tumor necrosis factor- α ; Interferon- γ ; Neopterin; Body mass **282, 115**
- Oxidative stress**; N-acetyl- β -glucosaminidase; Diabetes mellitus **282, 167**
- Peroxisomes**; Leukotrienes; Long-chain acyl CoA dehydrogenase deficiency; Mitochondria; Zellweger syndrome **282, 151**
- pH**; Enzyme immunoassay; Urea; Myoglobin **282, 203**
- Polymerase chain reaction**; Restriction length polymorphism; Apolipoprotein E; Gene polymorphism **282, 147**
- Porphyria**; Erythropoietic protoporphyria; Cholestasis; Treatment; Antibiotics; Sepsis; Infection **282, 197**
- Porphyrin reagent**; Serum zinc; Highly sensitive method; Colorimetry; Trace analysis **282, 65**
- Postmortem**; Lp(a); Apo(a); Protein degradation **282, 59**
- Potassium**; Direct ISE; Sodium; Reference method; Serum; Standardization **282, 227**
- Protein degradation**; Postmortem; Lp(a); Apo(a) **282, 59**
- Rhizopus deleamar***; Neutrophil; Superoxide **282, 89**
- ROC analysis**; Latex allergy; Evidence-based medicine **282, 175**
- Reference method**; Direct ISE; Sodium; Potassium; Serum; Standardization **282, 227**
- Regression**; Linear range; Correlation; Estimation; Monte Carlo method **282, 15**
- Renal transplant patients**; Homocysteine; Folate; Cobalamin **282, 157**
- Restriction length polymorphism**; Polymerase chain reaction; Apolipoprotein E; Gene polymorphism **282, 147**
- RT-PCR**; Tyrosinase; L-DOPA; Melanoma; Metastases **282, 101**
- Selected ion monitoring**; GC-MS; Selected ion storage; Glutaric acid **282, 185**

- Selected ion storage;** GC-MS; Selected ion monitoring; Glutaric acid **282**, 185
- Sepsis;** Porphyria; Erythropoietic protoporphyria; Cholestasis; Treatment; Antibiotics; Infection **282**, 197
- Serum;** Direct ISE; Sodium; Potassium; Reference method; Standardization **282**, 227
- Serum levels;** Cathepsins B, H, L; Stefins A, B; 24-h variations **282**, 211
- Serum zinc;** Porphyrin reagent; Highly sensitive method; Colorimetry; Trace analysis **282**, 65
- Sodium;** Direct ISE; Potassium; Reference method; Serum; Standardization **282**, 227
- Standardization;** Direct ISE; Sodium; Potassium; Reference method; Serum **282**, 227
- Stefins A, B;** Cathepsins B, H, L; Serum levels; 24-h variations **282**, 211
- Superoxide;** *Rhizopus delemar*; Neutrophil **282**, 89
- Susceptibility;** Melanocyte stimulating hormone receptor; Allele; Basal cell carcinoma; V92M; A294H **282**, 125
- Tamm-Horsfall protein;** High-mannose glycans; N-glycans; Kidney **282**, 35
- Tissue transglutaminase;** Endomysium antibodies; Coeliac disease **282**, 219
- Trace analysis;** Serum zinc; Porphyrin reagent; Highly sensitive method; Colorimetry **282**, 65
- Treatment;** Porphyria; Erythropoietic protoporphyria; Cholestasis; Antibiotics; Sepsis; Infection **282**, 197
- Tumor necrosis factor- α ;** Non-insulin-dependent diabetes mellitus; Insulin resistance; Interferon- γ ; Neopterin; Body mass **282**, 115
- Tyrosinase;** RT-PCR; L-DOPA; Melanoma; Metastases **282**, 101
- Urea;** Enzyme immunoassay; pH; Myoglobin **282**, 203
- Urinary and fecal coproporphyrin isomers I-IV;** Differential diagnosis; Erythropoietic porphyrias; Acute hepatic porphyrias; Chronic hepatic porphyrias; Ion-pair high-performance liquid chromatography (HPLC) **282**, 45
- V92M;** Melanocyte stimulating hormone receptor; Allele; Susceptibility; Basal cell carcinoma; A294H **282**, 125
- 24-h variations;** Cathepsins B, H, L; Stefins A, B; Serum levels **282**, 211
- Very low density lipoproteins;** Cholesterol; Lipoprotein electrophoresis; Low density lipoproteins; High density lipoproteins; Lipoprotein(a) **282**, 1
- Waldenstrom macroglobulinemia;** Half-molecule 7S IgM(HM 7S IgM); NH₂-terminal amino acid sequence **282**, 77
- Zellweger syndrome;** Leukotrienes; Long-chain acyl CoA dehydrogenase deficiency; Mitochondria; Peroxisomes **282**, 151

